Brain Research, 526 (1990) 359–361
Elsevier

Author Index

Abrous, D.N., Rivet, J.M., Le Moal, M. and Herman J.P., Similar post-lesion receptor readjustments following the unilateral 6-hydroxydopamine lesion of the dopaminergic mesotelencephalic system in neonatal and adult rats, 195
Agnati, L.F., see Von Euler, G., 122
Al-Dahan, M.I., Tehrani, M.H.J. and Thalman, R.H., Effect of 2-hydroxy-saclofen, an antagonist of $GABA_B$ action, upon the binding of baclofen and other receptor ligands in rat cerebrum, 308
Amagasa, M., Ogawa, A. and Yoshimoto, T., Effects of calcium and calcium antagonists against deprivation of glucose and oxygen in guinea pig hippocampal slices, 1
Anderton, B.H., see Klosen, P., 259
Angelucci, L., see Aureli, T., 108
Arrang, J.M., see Martinez-Mir, M.I., 322
Aureli, T., Miccheli, A., Ricciolini, R., Di Cocco, M.E., Ramacci, M.T., Angelucci, L., Ghirardi, O. and Conti, F., Aging brain: effect of acetyl-L-carnitine treatment on rat brain energy and phospholipid metabolism. A study by ^{31}P and ^{1}H NMR spectroscopy, 108

Baimbridge, I.G., see Yamada, T., 303
Barker, J.L., see Ong, J., 138
Battles, A.H., see Hough, L.B., 153
Blier, P., see Lista, A., 161
Bongianni, F., Corda, M., Fontana, G. and Pantaleo, T., Expiration-related neurons in the caudal ventral respiratory group of the cat: influences of the activation of Bötzinger complex neurons, 299
Brion, J.-P., see Klosen, P., 259

Cespuglio, R., see Faradji-Prevautel, H., 207
Chandler, S.H., Turman, Jr., J., Salem, L. and Goldberg, L.J., The effects of nanoliter ejections of lidocaine into the pontomedullary reticular formation on cortically induced rhythmical jaw movements in the guinea pig, 54
Chang, L.-R., see Tao, P.-L., 270
Cheetham, S.C., see Lawrence, K.M., 17
Clifton, G.L., see Lyeth, B.G., 249
Clifton, G.L., see Miller, L.P., 103
Connor, J.R., see Lin, H.H., 217
Conti, F., see Aureli, T., 108
Corda, M., see Bongianni, F., 299
Crabbe, J.C., see Kosobud, A.E., 8
Crompton, M.R., see Lawrence, K.M., 17
Crosby, R.J., see Moran, T.H., 95

Dahl, D. and Sarvey, J.M., β-Adrenergic agonist-induced long-lasting synaptic modifications in hippocampal dentate gyrus require activation of NMDA receptors, but not electrical activation of afferents, 347
Date, I., Notter, M.F.D., Felten S.Y. and Felten, D.L., MPTP-treated young mice but not aging mice show partial recovery of the nigrostriatal dopaminergic system by stereotaxic injection of acidic fibroblast growth factor (aFGF), 156
Demirgören, S., see Majewska, M.M., 143
De Montigny, C., see Lista, A., 161
Denton, D.A., see Weisinger, R.S., 23
De Paermentier, F., see Lawrence, K.M., 17
Di Cocco, M.E., see Aureli, T., 108
Di Nicolantonio, R., see Weisinger, R.S., 23
Dixon, C.E., see Lyeth, B.G., 249
Dixon, C.E., see Miller, L.P., 103

El-Hawary, M.H., see Takami, S., 333
Erdö, S.L., Michler, A., Wolff, J.R. and Tytko, H., Lack of excitotoxic cell death in serum-free cultures of rat cerebral cortex, 328

Faradji-Prevautel, H., Cespuglio, R. and Jouvet, M., Circadian rest-activity rhythms in the anophthalmic, monocular and binocular ZRDCT/An mice. Retinal and serotonergic (raphe) influences, 207
Felten, D.L., see Date, I., 156
Felten, S.Y., see Date, I., 156
Feng, D.-M., see Wiesenfeld-Hallin, Z., 284
Finnman, U.-B., see Von Euler, G., 122
Folkers, K., see Wiesenfeld-Hallin, Z., 284
Fontana, G., see Bongianni, F., 299
Foster, A.C., see Vezzani, A., 113
France, C.P., Winger, G.D. and Woods, J.H., Analgesic, anesthetic, and respiratory effects of the competitive *N*-methyl-D-aspartate (NMDA) antagonist CGS 19755 in rhesus monkeys, 355
Fuxe, K., see Von Euler, G., 122

Gamache, P.H., see Godefroy, F., 169
Garner, J.A., Cytoplasmic matrix proteins in central nervous system presynaptic terminals: turnover and effects of osmotic lysis, 186
Ghirardi, O., see Aureli, T., 108
Godefroy, F., Matson, W.R., Gamache, P.H. and Weil-Fugazza, J., Simultaneous measurements of tryptophan and its metabolites, kynurenine and serotonin, in the superficial layers of the spinal dorsal horn. A study in normal arthritic rats, 169
Goldberg, L.J., see Chandler, S.H., 54
Goshima, Y., see Kubo, 313
Graziadei, P.P.C., see Takami, S., 333

Hagihira, S., Senba, E., Yoshida, S., Tohyama, M. and Yoshiya, I., Fine structure of noradrenergic terminals and their synapses in the rat spinal dorsal horn: an immunohistochemical study, 73
Håkanson, R., see Wiesenfeld-Hallin, Z., 284
Hall, R.G., see Ong, J., 138
Hamm, R.J., see Lyeth, B.G., 249
Hamm, R.J., see Miller, L.P., 103
Han, J., see Wang, Q., 221
Hards, D.K., see Weisinger, R.S., 23
Harrison, N.L., see Ong, J., 138
Hata, H., see Kubo, T., 313
Hayes, R.L., see Lyeth, B.G., 249
Hayes, R.L., see Miller, L.P., 103
Hayes, R.L., see Kellstein, D.E., 291
Heimer, L., see Schmued, L., 127
Heinemann, S., see Wada, E., 45
Henegar, J.R., see Maruniak, J.A., 65
Herman, J.P., see Abrous, D.N., 195
Herrera-Marschitz, M., see Reid, M.S., 228
Herz, A., see Sirinathsinghji, D.J.S., 173
Hill, D.R. and Woodruff, G.N., Differentiation of central cholecystokinin receptor binding sites using the non-peptide antagonists MK-329 and L-365,260, 276
Horton, R.W., see Lawrence, K.M., 17
Hough, L.B., Nalwalk, J.W. and Battles, A.H., Zolantidine-induced attenuation of morphine antinociception in rhesus monkeys, 153
Hunt, A., see Sanfeliu, C., 241

Inuzuka, T., Tamura, A., Sato, S., Kirino, T., Toyoshima, I. and Miyatake, T., Suppressive effect of E-64c on ischemic degradation of cerebral proteins following occlusion of the middle cerebral artery in rats, 177

Jackson, H. and Parks, T.N., Anticonvulsant action of an arylamine-containing fraction from *Agelenopsis* spider venom, 338
Jenkins, L.W., see Lyeth, B.G., 249
Jenkins, L.W., see Miller, L.P., 103
Johnston, G.A.R., see Ong, J., 138
Johnston, M.V., see McDonald, J.W., 165
Jouvet, M., see Faradji-Prevautel, H., 207

Katona, C.L.E., see Lawrence, K.M., 17
Kellstein, D.E., Price, D.D., Hayes, R.L. and Mayer, D.J., Evidence that substance P selectively modulates C-fiber-evoked discharges of dorsal horn nociceptive neurons, 291
Kerr, D.I.B., see Ong, J., 138
Kirino, T, see Inuzuka, T., 177
Klosen, P., Anderton, B.H., Brion, J.-P. and Van den Bosch de Aguilar, P., Perikaryal neurofilament phosphorylation in axotomized and 6-OH-dopamine-lesioned CNS neurons, 259
Kosobud, A.E. and Crabbe, J.C., Genetic correlations among inbred strain sensitivities to convulsions induced by 9 convulsant drugs, 8
Kubo, T., Goshima, Y., Hata, H. and Misu, Y., Evidence that endogenous catecholamines are involved in α_2-adrenoceptor-mediated modulation of the aortic barore-

ceptor reflex in the nucleus tractus solitarii of the rat, 313
Kyriakidis, K., see Schmued, L., 127

Lam, K.S.L. and Srivastava, G., Sex-related differences and thyroid hormone regulation of vasoactive intestinal peptide gene expression in the rat brain and pituitary, 135
Lawrence, K.M., De Paermentier, F., Cheetham, S.C., Crompton, M.R., Katona, C.L.E. and Horton, R.W., Brain 5-HT uptake sites, labelled with [^{3}H]paroxetine, in antidepressant-free depressed suicides, 17
Lazdunski, M., see Mourre, C., 147
Lee, H.-Y., see Tao, P.-L., 270
Le Moal, M., see Abrous, D.N., 195
Leslie, S.W., see Vaughn, D.M., 37
Lin, H.H., Snyder, B.S. and Connor, J.R., Transferrin expression in myelinated and non-myelinated peripheral nerves, 217
Lista, A., Blier, P. and De Montigny, C., Benzodiazepine receptors modulating serotonergic neurotransmission in rat hippocampus do not desensitize after long-term diazepam treatment, 161
Lloyd, P.E., see Lotshaw, D.P., 81
Loh, H.H., see Tao, P.-L., 270
London, E.D., see Majewska, M.D., 143
Lotshaw, D.P. and Lloyd, P.E., Peptidergic and serotonergic facilitation of a neuromuscular synapse in *Aplysia*, 81
Lum, J.T., see Piercey, M.F., 203
Lyeth, B.G., Jenkins, L.W., Hamm, R.J., Dixon, C.E., Phillips, L.L., Clifton, G.L., Young, H.F. and Hayes, R.L., Prolonged memory impairment in the absence of hippocampal cell death following traumatic brain injury in the rat, 249
Lyeth, B.G., see Miller, L.P., 103

Majewska, M.D., Demirgören, S., Spivak, C.E. and London, E.D., The neurosteroid dehydroepiandrosterone sulfate is an allosteric antagonist of the $GABA_A$ receptor, 143
Malkinson, T.J., see Martin, S.M., 351
Mao, L., see Wang, Q., 221
Martin, S.M., Malkinson, T.J., Veale, W.L. and Pittman, Q.J., Depletion of brain α-MSH alters prostaglandin and interleukin fever in rats, 351
Martinez-Mir, M.I., Pollard, H., Moreau, J., Arrang, J.M., Ruat, M., Traiffort, E., Schwartz, J.C. and Palacios, J.M., Three histamine receptors (H1, H2 and H3) visualized in the brain of human and non-human primates, 322
Maruniak, J.A., Henegar, J.R. and Sweeney, T.P., Effects of long-term unilateral naris closure on the olfactory epithelia of adult mice, 65
Matson, W.R., see Godefroy, F., 169
Mayer, D.J., see Kellstein, D.E., 291
McDonald, J.W., Trescher, W.H. and Johnston, M.V., The selective ionotropic-type quisqualate receptor agonist AMPA is a potent neurotoxin in immature rat brain, 165
McGeer, E.G., see Yamada, T., 303
McGeer, P.L., see Yamada, 303
McHugh, P.R., see Moran, T.H., 95
McKinley, M.J., see Weisinger, R.S., 23
McKinnon, D., see Wada, E., 45
Miccheli, A., see Aureli, T., 108
Michler, A., see Erdö, S.L., 328
Miettinen, R., see Riekkinen Jr., P., 31
Miller, L.P., Lyeth, B.G., Jenkins, L.W., Oleniak, L., Panchision, D., Hamm, R.J., Phillips, L.L., Dixon, C.E., Clifton, G.L. and Hayes, R.L., Excitatory amino acid receptor binding following traumatic brain injury, 103
Misu, Y., see Kubo, T., 313
Miyatake, T., see Inuzuka, T., 177
Moran, T.H., Norgren, R., Crosby, R.J. and McHugh, P.R., Central and peripheral vagal transport of cholecystokinin binding sites occurs in afferent fibers, 95
Moreau, J., see Martinez-Mir, M.I., 322
Mourre, C., Smith, M.-L., Siesjö, B.K. and Lazdunski, M., Brain ischemia alters the density of binding sites for glibenclamide, a specific blocker of ATP-sensitive K^+ channels, 147

Nadelhaft, I., see Vera, P.L., 342
Nalwalk, J.W., see Hough, L.B., 153
Nikolarakis, K.E., see Sirinathsinghji, D.J.S., 173
Norgren, R., see Moran, T.H., 95
Notter, M.F.D., see Date, I., 156

Ogawa, A., see Amagasa, M., 1
Oldfield, B., see Weisinger, R.S., 23
Oleniak, L., see Miller, L.P., 103
Olianas, M.C., see Onali, P., 181
Onali, P. and Olianas, M.C., CRF-like effects of sauvagine and urotensin I on synaptosomal tyrosine hydroxylase activity of mouse striatum, 181
Ong, J., Harrison, N.L., Hall, R.G., Barker, J.L., Johnston, G.A.R. and Kerr, D.I.B., 3-Aminopropanephosphinic acid is a potent agonist at peripheral and central presynaptic $GABA_B$ receptors, 138
Osborne, P.G., see Weisinger, R.S., 23

Palacios, J.M., see Martinez-Mir, M.I., 322
Palmer, J.R., see Piercey, M.F., 203
Panchision, D., see Miller, L.P., 103
Pantaleo, T., see Bongianni, F., 299
Parks, T.N., see Jackson, H., 338
Patel, A.J., see Sanfeliu, C., 241
Patrick, J., see Wada, E., 45
Phillips, L.L., see Lyeth, B.G., 249
Phillips, L.L., see Miller, L.P., 103
Piercey, M.F., Lum, J.T. and Palmer, J.R., Effects of NMDA ('ecstacy') on firing rates of serotonergic, dopaminergic, and noradrenergic neurons in the rat, 203
Pittman, Q.J., see Martin, S.M., 351
Pollard, H., see Martinez-Mir, M.I., 322
Popitz-Bergez, F., see Raymond, S.A., 318
Price, D.D., see Kellstein, D.E., 291

Ramacci, M.T., see Aureli, T., 108
Randall, P.K., see Vaughn, D.M., 37
Raymond, S.A., Thalhammer, J.G., Popitz-Bergez, F. and Strichartz, G.R., Changes in axonal impulse conduction correlate with sensory modality in primary afferent fibers in the rat, 318
Reid, M.S., Herrera-Marschitz, M., Terenius, L. and Ungerstedt, U., Intranigral substance P modulation of striatal dopamine: interaction with N-terminal and C-terminal substance P fragments, 228
Reimer, S., see Sirinathsinghji, D.M.S., 173
Ricciolini, R., see Aureli, T., 108
Riekkinen Jr., P., Sirviö, J., Miettinen, R. and Riekkinen, P., Interaction between raphe dorsalis and nucleus basalis magnocellularis in the regulation of high-voltage spindle activity in rat neocortex, 31
Riekkinen, P., see Riekkinen Jr., P., 31
Riffee, W.H., see Vaughn, D.M., 37
Rivet, J.M., see Abrous, D.N., 195
Ruat, M., see Martinez-Mir, M.I., 322

Salem, L., see Chandler, S.H., 54
Samanin, R., see Vezzani, A., 113
Sanfeliu, C., Hunt, A. and Patel, A.J., Exposure to *N*-methyl-D-aspartate increases release of arachidonic acid in primary cultures of rat hippocampal neurons and not in astrocytes, 241
Sarvey, J.M., see Dahl, D., 347
Sato, S., see Inuzuka, T., 177
Schmued, L., Kyriakidis, K. and Heimer, L., In vivo anterograde and retrograde axonal transport of the fluorescent rhodamine-dextran-amine, Fluoro-Ruby, within the CNS, 127
Schwartz, J.C., see Martinez-Mir, M.I., 322
Senba, E., see Hagihira, S., 73
Serafini, R., see Vezzani, A., 113
Severson, J.A., see Vaughn, D.M., 37
Siesjö, B.K., see Mourre, C., 147
Sirinathsinghji, D.J.S., Nikolarakis, K.E., Reimer, S. and Herz, A., Nigrostriatal dopamine mediates the stimulatory effects of corticotropin releasing factor on methionine-enkephalin and dynorphine release from the rat neostriatum, 173
Sirviö, J., see Riekkinen, Jr., P., 31
Smith, M.-L., see Mourre, C., 147
Snyder, B.S., see Lin, H.H., 217
Spivak, C.E., see Majewska, M.D., 143
Srivastava, G., see Lam, K.S.L., 135
Strichartz, G.R., see Raymond, S.A., 318
Sved, A.F. and Sved, J.C., Endogenous GABA acts on $GABA_B$ receptors in nucleus tractus solitarius to increase blood pressure, 235
Sved, J.C., see Sved, A.F., 235
Swanson, L.W., see Wada, E., 45
Sweeney, T.P., see Maruniak, J.A., 65

Takami, S., El-Hawary, M.H. and Graziadei, P.P.C., Somatostatin-28-like immunoreactivity in the rat olfactory bulb, 333
Tamura, A., see Inuzuka, T., 177
Tao, P.-L., Lee, H.-Y., Chang, L.-R. and Loh, H.H., Decrease in μ-opioid receptor binding capacity in rat brain after chronic PL017 treatment, 270
Tehrani, M.H.J., see Al-Dahan, M.I., 308
Terenius, L., see Reid, M.S., 228
Thalhammer, J.G., see Raymond, S.A., 318
Thalmann, R.H., see Al-Dahan, M.I., 308
Tohyama, M., see Hagihira, S., 73

Toyoshima, I., see Inuzuka, T., 177
Traiffort, E., see Martinez-Mir, M.I., 322
Trescher, W.H., see McDonald, J.W., 165
Turman Jr., J., see Chandler, S.H., 54
Tytko, H., see Erdö, S.L., 328

Ungerstedt, U., see Reid, M.S., 228

Van den Bosch de Aguilar, P., see Klosen, P., 259
Vaughn, D.M., Severson, J.A., Woodward, J.J., Randall, P.K., Riffee, W.H., Leslie, S.W. and Wilcox, R.E., Behavioral sensitization following subchronic apomorphine treatment — possible neurochemical basis, 37
Veale, W.L., see Martin, S.M., 351
Vera, P.L. and Nadelhaft, I., The conduction velocity and segmental distribution of afferent fibers in the rectal nerves of the female rat, 342
Vezzani, A., Serafini, R., Samanin, R. and Foster, A.C., Autoradiographical analysis of excitatory amino acid binding sites in rat hippocampus during the development of hippocampal kindling, 113
Von Euler, G., Fuxe, K., Finnman, U.-B. and Agnati, L.F., Acute and subchronic corticosterone treatment differentially modulates subcortical limbic and neostriatal nicotinic cholinergic receptors, 122

Wada, E., McKinnon, D., Heinemann, S., Patrick, J. and Swanson, L.W., The distribution of mRNA encoded by a new member of the neuronal nicotinic acetylcholine receptor gene family (α_5) in the rat central nervous system, 45
Wang, Q., Mao, L. and Han, J., Analgesia from electrical stimulation of the hypothalamic arcuate nucleus in pentobarbital-anesthetized rats, 221
Weil-Fugazza, J., see Godefroy, F., 169
Weisinger, R.S., Denton, D.A., Di Nicolantonio, R., Hards, D.K., McKinley, M.J., Oldfield, B. and Osborne, P.G., Subfornical organ lesion decreases sodium appetite in the sodium-depleted rat, 23
Wiesenfeld-Hallin, Z., Xu, X.-J., Håkanson, R., Feng, D.-M. and Folkers, K., The specific antagonistic effect of intrathecal spantide II on substance P- and C-fiber conditioning stimulation-induced facilitation of the nociceptive flexor reflex in rat, 284
Wilcox, R.E., see Vaughn, D.M., 37
Winger, G.D., see France, C.P., 355
Wolff, J.R., see Erdö, S.L., 328
Woodruff, G.N., see Hill, D.R., 276
Woods, J.H., see France, C.P., 355
Woodward, J.J., see Vaughn, D.M., 37

Xu, X.-J., see Wiesenfeld-Hallin, Z., 284

Yamada, T., McGeer, P.L., Baimbridge, I.G. and McGeer, E.G., Relative sparing in Parkinson's disease of substantia nigra dopamine neurons containing calbindin-D_{28K}, 303
Yoshida, S., see Hagihira, S., 73
Yoshimoto, T., see Amagasa, M., 1
Yoshiya, I., see Hagihira, S., 73
Young, H.F., see Lyeth, B.G., 249